

Surface-atmosphere interactions from environmental radioactivity measurements

Susana Barbosa

INESC TEC

Outline

Introduction

- environmental radioactivity
- space-atmosphere-surface interaction
- radon
- field measurement

Gamma monitoring campaign (Azores)

- short-term variability & precipitation
- long-term variability & soil moisture

Atmospheric electricity and radioactivity campaign (Hyytiälä)

- atmospheric electricity
- soil radon
- gamma radiation

Outline

Introduction

- environmental radioactivity
- space-atmosphere-surface interaction
- radon
- field measurement

Gamma monitoring campaign (Azores)

- short-term variability & precipitation
- long-term variability & soil moisture

Atmospheric electricity and radioactivity campaign (Hyytiälä)

- atmospheric electricity
- soil radon
- gamma radiation

Environmental radioactivity


Artificial sources

- fallout from atmospheric testing of nuclear weapons (<1970's)
- industrial activities (nuclear power plants, mining, fracking,...)
- nuclear accidents (Chernobyl, Fukushima,...)

Natural sources

- primordial
[K40, U238, Th232,...]
- cosmogenic (from interaction of cosmic rays and upper atmosphere gases)
[Be7, H3, C14,...]

Natural radioactivity: space-atmosphere-surface



Environmental radioactivity: Radon

Radon (Rn-222)

- gas (highly mobile)
- noble (non-reactive)
- short half-life (3.8 days)
- easily measurable by nuclear techniques

--> Unique geophysical proxy/tracer

Applications:


- volcanic monitoring
- CO₂ monitoring
- tectonic indicator / earthquake precursor (?!!?)
- hydrologic tracer (thermal waters, groundwater)
- atmospheric tracer (air masses)

Environmental radioactivity: measurement

Geophysical radon monitoring

- High-frequency (minutes), continuous measurements (rather than integrated)
- Automatic (monitoring rather than samples collection)
- Long-term (seasonal, trends,...)
- Passive sampling (undisturbed conditions, NO pumping)
- Gamma-ray counting (radon progeny – higher sensitivity)

Environmental radioactivity: measurement




Emitted by Rn-222

Highly ionising radiation

Short range in air (3 – 5 cm)

Stopped by paper




Emitted by Rn-222 progeny
(Bi-214, Pb-214, Pb-210) + KUT

Weakly ionising radiation

Long range (inverse square law)

Attenuated by thick lead

Example I - stable environment



Barbosa et al 2010

Outline

Introduction

- environmental radioactivity
- space-atmosphere-surface interaction
- radon
- field measurement

Gamma monitoring campaign (Azores)

- short-term variability & precipitation
- long-term variability & soil moisture

Atmospheric electricity and radioactivity campaign (Hyytiälä)

- atmospheric electricity
- soil radon
- gamma radiation

Concluding remarks


The gamma monitoring campaign - Azores

Geographic setting



The gamma monitoring campaign - Azores

Azores triple junction



The gamma monitoring campaign - Azores



Radars, radiometers, lidars, aerosols, trace gases,...

The gamma monitoring campaign - Azores

All data (15-min gamma counts) publicly available!

RESEARCH > CAMPAIGNS <https://www.arm.gov/research/campaigns/ena2015gr>

GRM [m](#)

BROWSE DATA

GAMMA RADIATION MONITORING

1 APRIL 2015 - 31 MARCH 2018

LEAD SCIENTIST: SUSANA BARBOSA

OBSERVATORY: [ENA](#)

This gamma radiation monitoring campaign focus on the study of the temporal variability of the concentration of the noble gas radon (Rn-222), aiming to examine how it's influenced by meteorological conditions, how it impacts the local atmospheric electric field, and its association with the atmosphere's ionization and aerosol's concentration.

CO-INVESTIGATORS

Pedro Miranda


CAMPAGN DATA SETS

IOP PARTICIPANT	DATA SOURCE NAME	FINAL DATA
Susana Barbosa	Gamma Ray Detector	 Order Data

The gamma monitoring campaign - Azores


Gamma count rate (cpm)

2015-05-08 / 2017-04-19 23:45:00




The gamma monitoring campaign - Azores

short-term variability




The gamma monitoring campaign - Azores



The gamma monitoring campaign - Azores


15-min counts



Sharp peaks (< 4 h)

The gamma monitoring campaign - Azores

15-min counts




Sharp peaks (< 4 h)

“broad” anomalies (~1 day)

The gamma monitoring campaign - Azores

15-min counts




Sharp peaks (< 4 h)

"broad" anomalies (~1 day)

The gamma monitoring campaign - Azores


15-min counts




Sharp peaks (< 4 h)

"broad" anomalies (~1 day)


The gamma monitoring campaign - Azores






The gamma monitoring campaign - Azores



The gamma monitoring campaign - Azores




The gamma monitoring campaign - Azores




The gamma monitoring campaign - Azores

long-term variability




The gamma monitoring campaign - Azores

long-term variability



The gamma monitoring campaign - Azores

long-term variability



Outline

Introduction

- environmental radioactivity
- space-atmosphere-surface interaction
- radon
- field measurement

Gamma monitoring campaign (Azores)

- short-term variability & precipitation
- long-term variability & soil moisture

Atmospheric electricity and radioactivity campaign (Hyytiälä)

- atmospheric electricity
- soil radon
- gamma radiation

RELECT campaign

Radioactivity and ELECTric field monitoring campaign at Hyytiälä

Funding: ENVIplus TransNational Access to Research Infrastructures)

How

soil radon + gamma radiation + electric field

When

June 2017 - November 2017

Where

Hyytiälä (high latitude + atmospheric & surface station)

RELECT campaign



RELECT campaign – Electric field


Atmospheric electric field (CS110)




CS-110
INESC TEC

CS-110
FMI/HU

RELECT campaign – Electric field



RELECT campaign – Electric field



RELECT campaign – Electric field

<https://rdm.inesctec.pt/dataset/cs-2017-009>

The screenshot shows the INESC TEC Research Data Management (RDM) platform interface. At the top, there is a blue header bar with the INESC TEC logo, a search bar, and a 'Log in' button. Below the header, the URL 'https://rdm.inesctec.pt/dataset/cs-2017-009' is displayed. The main content area has a light gray background. On the left, there is a sidebar for the organization 'INESC TEC'. It shows a profile picture of a building, the name 'INESC TEC', and a brief description: 'The Institute for Systems and Computer Engineering, Technology and Science – INESC TEC is an Associate Laboratory with over 30 years of experience in R&D and...'. It also displays 'Followers: 0' and a 'Dataset' tab. The main content area features a large title: 'Electric field data from ENVRIplus TNA campaign RELECT at SMEAR II – HYYTIÄLÄ multi-disciplinary RI platform'. Below the title, a text block states: 'Vertical electric field measurements (in V/m), 1-min averages. Under construction (weekly datafiles added as the campaign progresses.)'. A section titled 'Data and Resources' lists five datasets, each with a file icon, the name, a brief description, and an 'Explore' button:


- ElecField_week27: Electric field measurements (1-minute averaged) for week 27 (2017, ISO week...)
- ElecField_week28: Electric field measurements (1-minute averaged) for week 28 (2017, ISO week...)
- ElecField_week30: Electric field measurements (1-minute averaged) for week 30 (2017, ISO week...)
- ElecField_week31: Electric field measurements (1-minute averaged) for week 31 (2017, ISO week...)
- ElecField_week32: Electric field measurements (1-minute averaged) for week 32 (2017, ISO week...)

RELECT campaign – Gamma radiation

Gamma radiation in air (5-min)



RELECT campaign – Gamma radiation



RELECT campaign – Gamma radiation

<https://rdm.inesctec.pt/dataset/cs-2017-010>

The screenshot shows the INESC TEC Research Data Management (RDM) platform interface. At the top, there is a dark header with the INESC TEC logo, a search bar, and a 'Log in' button. Below the header, the URL 'https://rdm.inesctec.pt/dataset/cs-2017-010' is displayed in red. The main content area has a light gray background. On the left, there is a sidebar with the title 'Gamma radiation data from ENVRplus TNA campaign RELECT at SMEAR II – HYYTIÄLÄ multi-disciplinary RI platform'. It also shows 'Followers: 0' and an 'Organization' section featuring the INESC TEC logo and a brief description of the institute. The main content area displays the title 'Gamma radiation data from ENVRplus TNA campaign RELECT at SMEAR II – HYYTIÄLÄ multi-disciplinary RI platform' in large bold text. Below the title, a short description states: 'Gamma radiation measurements in counts/minute (cpm) every 5-minutes. Under construction (weekly datafiles added as the campaign progresses.)'. A section titled 'Data and Resources' lists five datasets, each with a 'Explore' button:


- GammaAir_week25 (plain text): Gamma measurements every 5-minutes for week 25 (2017, ISO week date standard...)
- GammaAir_week26 (plain text): Gamma measurements every 5-minutes for week 26 (2017, ISO week date standard...)
- GammaAir_week27 (plain text): Gamma measurements every 5-minutes for week 27 (2017, ISO week date standard...)
- GammaAir_week28 (plain text): Gamma measurements every 5-minutes for week 28 (2017, ISO week date standard...)
- GammaAir_week29 (plain text): Gamma measurements every 5-minutes for week 29 (2017, ISO week date standard...)

RELECT campaign – Radon

Radon concentration in soil (2-hour)



RELECT campaign – Radon



RELECT campaign – Radon

<https://rdm.inesctec.pt/dataset/cs-2017-011>

The screenshot shows the INESC TEC Research Data Management (RDM) platform interface. At the top, there is a dark blue header with the INESC TEC logo, a search bar, and a 'Log in' button. Below the header, the URL 'https://rdm.inesctec.pt/dataset/cs-2017-011' is displayed in red. The main content area has a light gray background. On the left, there is a sidebar with the organization's name,仁慈技术中心, and a 'Followers' section showing 0. The main content area features a title card for the 'Radon data from ENVRplus TNA campaign RELECT at SMEAR II – HYYTIÄLÄ multi-disciplinary RI platform'. Below the title, there is a brief description of the data: 'Radon concentration measurements (in Bq/m³) every 2-hours. Under construction (weekly datafiles added as the campaign progresses.)'. A 'Data and Resources' section lists five datasets, each with a file icon, the dataset name, a brief description, and an 'Explore' button. The datasets are: RadonSoil_week25, RadonSoil_week26, RadonSoil_week27, RadonSoil_week28, and RadonSoil_week29.

Radon data from ENV
Riplus TNA campaign
RELECT at SMEAR II
– HYYTIÄLÄ multi-di
sciplinary RI platform

Followers
0

Organization

INESC TEC

The Institute for Systems and Computer Engineering, Technology and Science – INESC TEC is an Associate Laboratory with over 30 years of experience in R&D and technology... [read more](#)

Dataset Groups Activity Stream

Radon data from ENVRplus TNA campaign RELECT at SMEAR II – HYYTIÄLÄ multi-disciplinary RI platform

Radon concentration measurements (in Bq/m³) every 2-hours. Under construction (weekly datafiles added as the campaign progresses.).

Data and Resources

RadonSoil_week25	Measurements of radon concentration every 2-hours for week 25 (2017, ISO week...)	Explore
RadonSoil_week26	Measurements of radon concentration every 2-hours for week 26 (2017, ISO week...)	Explore
RadonSoil_week27	Measurements of radon concentration every 2-hours for week 27 (2017, ISO week...)	Explore
RadonSoil_week28	Measurements of radon concentration every 2-hours for week 28 (2017, ISO week...)	Explore
RadonSoil_week29	Measurements of radon concentration every 2-hours for week 29 (2017, ISO week...)	Explore

RELECT campaign – Radon (& CO₂)

